



## RAVENOL Schneefräse 4-Takt 0W-30

RAVENOL Schneefräse 4-Takt SAE 0W-30 is high quality fully synthetic green coloured four-stroke engine oil based on the modern synthesis technology. Because of special balanced additive package and special formulation it achieves the high viscosity index. Excellent cold start characteristics provide the optimal lubricating safety in the cold-running phase. Because of the noticeable fuel economy RAVENOL Snow blower 4-Takt SAE 0W-30 contributes to the reduction of pollutant emissions and protecting the environment.

### Application Notes

RAVENOL Schneefräse 4-Takt SAE 0W-30 is fuel efficient engine oil special conceived for 4-stroke snow blower engines.

### Quality Classifications

RAVENOL Schneefräse 4-Takt SAE 0W-30 corresponds to:

#### **Specifications**

API SL, ACEA A3/B3/B4, SEB 181.222, 181.226

#### **Practice and tested in aggregates with filling**

Honda, MTD, TORO, Yard-Man, CubCadet, Briggs&Stratton, McCulloch, Craftsman, Murray, Ariens, Caiman, Husqvarna, Partner, Snapper, Stiga, Swisher, White Outdoor, Canadiana

### Characteristic

RAVENOL Schneefräse 4-Takt SAE 0W-30 offers:

- Fast oiling of the engine, also by low temperatures
- Low oil consumption because of the low evaporation tendency
- Excellent wear protection by high pressure
- Excellent corrosion protection
- Safety towards sludging, coking, laking and corrosion also in unfavourable operational conditions
- No oil caused deposits in combustion chambers, in piston ring zone and on valves.
- Neutrality against seal materials

Characteristics	Unit	Data	Audit
Colour		grün	-
Density at 20°C	kg/m <sup>3</sup>	855	EN ISO 12185
Viscosity at -35°C	mPa.s	<6200	ASTM D5293
Viscosity at 40°C	mm <sup>2</sup> /s	66	DIN 51 562
Viscosity at 100°C	mm <sup>2</sup> /s	11,8	DIN 51 562
Viscosity index VI		175	DIN ISO 2909
Flash point (COC)	°C	215	DIN ISO 2592
Pourpoint	°C	<-50	DIN ISO 3016
TBN	mg KOH/g	9	DIN ISO 3771

All indicated data are approximate values and are subject to the commercial fluctuations.

All information correspond to the best of our knowledge to the actual situation of the cognitions and our development. Subject to alterations. All references made to DIN-norms are only for the description of the goods. There is no guarantee. In case there will be any problems please contact the technical service.

11.04.2016

Ravensberger Schmierstoffvertrieb GmbH

Postfach 1163

33819 Werther

Tel.: 05203/9719-0

Fax.: 052039719-40 / 41